

Fujitsu recommends Windows 7.

# Data Sheet

## Fujitsu LIFEBOOK S781 premium selection Notebook

### First Class Computing

The solid and reliable Fujitsu LIFEBOOK S781 premium selection brings you a 35.6 cm (14.0-inch) HD+ display while still being easy to carry. The 2nd gen Intel® Core™ i7 vPro™ processor ensures high performance and a 128 GB solid state disk protects against drop damage. Embedded 3G/UMTS, a spill-resistant keyboard, and a magnesium lid are just a few highlights of the premium feature set. Finally Fujitsu's Premium Suite software ensures your first class status.

#### Performance of a desktop in a notebook

Effective working even for the most demanding of users in all situations.

- 35.6 cm (14-inch) HD display with LED backlight, modular bay for an optional second hard disk drive, a second battery, Blu-ray Disc™ Triple Writer or optical drive

#### Maximum connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

- Integrated DisplayPort, eSATA, USB 3.0, embedded 3G/UMTS, WLAN and Bluetooth®

#### Maximum security

Protect your company data against unauthorized third-party access.

- Computrace® enabled BIOS and Advanced Theft Protection, integrated SmartCard slot, fingerprint sensor, TPM module and OmniPass Security Software

#### Reliable companion

Secure and effective working even for the most demanding of users in all situations.

- High quality and lightweight magnesium lid, ShockSensor, optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off and Anytime USB Charge to charge telephone and media devices when the notebook is switched off.

#### Great flexibility

The family concept offers same design and accessory components for LIFEBOOK E751 and E781 as well as for LIFEBOOK S751 and S781.

- Same industrial design, bit image, BIOS and accessories such as port replicator, power supply unit, keyboard and modular bay for optical drive, second battery and second hard disk drive



# Components

<b>Processor</b>	Intel® Core™ i7-2620M processor (2.70 GHz, 4 MB)
<b>Operating system</b>	
Operating system	Genuine Windows® 7 Professional 64-bit
Operating system compatible	Genuine Windows® XP Professional Genuine Windows Vista® Business 32-bit
Operating system notes	Driver support for Microsoft® Windows® XP Dependent on configuration Windows 7® versions are: Microsoft Office 2007 ready
<b>Memory modules</b>	4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM
<b>Base unit memory</b>	<b>LIFEBOOK S781 14.0-inch vPro</b>
Supported capacity RAM (max.)	8 GB
Memory slots total	2
Memory slot type	DIMM (DDR3)
Memory notes	DDR3 - 1333 MHz
<b>Hard disk drives (internal)</b>	SSD SATA 128 GB
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 18 GB of HDD space is reserved for system recovery
<b>WLAN</b>	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
<b>Wireless technologies</b>	
Antennas	2 dual band antennas; 1 Bluetooth antenna optional, 2 UMTS antennas optional
Bluetooth	Bluetooth
WLAN notes	Import and usage according to country-specific regulations.
<b>3G/UMTS</b>	Sierra Wireless Gobi 3000 (UMTS downlink speed 14.4 Mbit/s, UMTS uplink speed 5.76 Mbit/s)
<b>Bluetooth</b>	Bluetooth 3.0
<b>Display</b>	35.6 cm (14-inch), LED backlight, (HD+), Anti-glare display, magnesium, 1600 x 900 pixel, 300:1, 220 cd/m
<b>Modular bay</b>	DVD Super Multi
<b>Base unit</b>	LIFEBOOK S781 14.0-inch vPro
<b>General system information</b>	
Chipset	Intel® QM67
Chipset notes	supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i7 processor, Intel W-LAN & TPM module
BIOS features	BIOS based on Phoenix TrustedCore Notebook
<b>Graphics</b>	
TFT resolution (DisplayPort)	up to 2560 x 1600
TFT resolution (VGA)	up to 1920 x 1200
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200
Graphics brand name	Intel® HD Graphics
Graphics features	DualView
Graphics notes	Shared memory depending on main memory size and operating system
<b>Interfaces</b>	
Memory card slots	1 (SD/MS/MSPRO)

**Interfaces**

ExpressCard slots	1 (34mm and 54mm supported)
SmartCard slot	1
SIM card slot	1 (usable only with 3G/UMTS)
Modem (RJ-11)	1 (optional)
eSATA & USB combo	1
USB 3.0 total	1
USB 2.0 total	3 (1 with Anytime USB Charge functionality)
VGA	1
DisplayPort	1
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Internal microphones	optional
Docking connector for Port Replicator	1
Kensington Lock support	1

**Wired communication**

Modem type	Optional: 56 K V.92 modem MDC1.5
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM

**Keyboard and pointing devices**

	Spill-resistant keyboard
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm
	EcoButton
	LockWorkstation button
	MobilityCenter button
	Optional: TouchStick
	Touchpad with two mouse buttons and optional scroll button or fingerprint, supporting gesture functions
	Application buttons
	Status LED

**Multimedia**

Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers
Camera	Optional: Built-in webcam, 2.0 megapixel

**Power supply**

AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology 19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter
AC adapter	19 V / 80 W (4.22 A)
1st battery options	Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh Li-Ion battery 6-cell, 6200 mAh, 67 Wh
2nd battery (optional)	Li-Ion battery 6-cell, 3.800 mAh, 41 Wh
Benchmark	Mobile Mark 2007 (readers mode e.g. surfing the internet, writing E-mails, viewing documents)
Runtime 1st battery	up to 10 h
Runtime 1st + 2nd battery	up to 17 h
Battery charging time	~160min (5,800mAh) ~ 180min (6,200mAh)
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. Rapid charge with 5,800 mAh batteries

**Dimensions / Weight / Environmental**

Dimensions (W x D x H)	340 x 245 x 35 mm
Weight	2.2 kg
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.

**Dimensions / Weight / Environmental**

Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 80 %

**Additional Software**

Additional software (preinstalled)	Nero 9 Essentials XL Premium Suite DVD Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Norton Internet Security (incl. Firewall) 60 days version Fujitsu Recovery (Hard Disk Based Recovery) Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®. Buy Office 2010 to use the full-featured software.
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)

**Manageability**

Manageability technology	DeskUpdate Driver management iAMT 7.0 Intel® vPro™ technology
Manageability software	DeskView 10.x client management including:
DeskView components	BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN)
Supported standards	WMI PXE BootP (made4you)
Manageability link	<a href="http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html">http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html</a>

**Security**

System protection	Kensington Lock support
Audit proof protection	Computrace® enabled BIOS Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 60 days version
Access protection	Hard disk password Integrated SmartCard slot User and supervisor BIOS password Optional: Integrated fingerprint sensor including Omnipass software

**Compliance**

Germany	GS
Europe	CE Nordic Swan
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 EPEAT® Silver (dedicated regions)
Compliance link	<a href="https://sp.ts.fujitsu.com/sites/certificates/default.aspx">https://sp.ts.fujitsu.com/sites/certificates/default.aspx</a>

**Port Replicator interfaces (optional)**

DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 2.0 total	4
DisplayPort	1 (up to 2560 x 1600)
VGA	1
DVI	1 (up to 1920 x 1200)
Serial (RS-232)	1
Ethernet (RJ-45)	1 (10/100/1000)
Parallel	1
Kensington Lock support	1
eSATA	1
Notes	Port replicator does not support 0-Watt technology

**Warranty****Maintenance and Support Services - the perfect extension**

Recommended Service	5x9, Response Time: Next Business Day
Service Weblink	<a href="http://ts.fujitsu.com/Supportservice">http://ts.fujitsu.com/Supportservice</a>

## Recommended Accessories

**Port Replicator**

Flexibility, expandability, desktop replacement, investment protection to name just a few benefits of Fujitsu docking options.

Order Code:  
S26391-F987-L100

**LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)**

Flexibility, expandability, desktop replacement to name just a few benefits of Fujitsu docking options.

Order Code:  
S26391-F987-L110

**2nd battery**

With a second battery you can maximize the working time of your notebook and work wherever you want for a whole working day. Just put the 2nd battery into the modular bay and enjoy truly mobile working free from the power socket!

Order Code:  
S26391-F777-L200

**Car / Truck / Air Adapter**

People who are often on business or private trips want to power up and recharge their handhelds, tablet PCs and notebooks anywhere and anytime.

Fujitsu's goal is to anticipate our customers' wishes and therefore we offer the Car / truck / air adapter for use in cars, lorries, boats, caravans and airplanes. This power adapter fulfills two basic functions: charging and powering of the device through transformation of the on-board voltage (11 - 32 V) and on the other hand protection of the connected device against interference - for more power on the move.

Order Code:  
S26391-F2613-L600

**MicroSaver® DS Ultra  
thinMicroSaver® Master Access  
DS, MicroSaver® DS**


The Kensington MicroSaver® DS Keyed Ultra-Thin Notebook Lock is designed for the ultimate defense of even the thinnest notebook. The nearly impenetrable disk style keyed locking mechanism along with an advanced cable design provides greater security. Losing your notebook is unthinkable. Protect your computer with incomparable security, the disc lock. The most advanced disc locking technology is featured with carbon tempered steel core cable, external braided steel sheath, and patented T-Bar. This model offers the Master Access solution.

Order Code:  
S26361-F1650-L900

**Privacy filter**

Privacy filters help block the screen view from anyone viewing the computer from a side view. 3M's unique microlouver privacy technology allows persons directly in front of the computer to see on-screen data clearly. 3M offers the broadest line of computer filters available.

Order Code:  
S26391-F6097-L115

**Prestige Alps Backpack**

Whether you have a tablet PC, notebook or mobile workstation: There is a manifold collection of cases to carry it comfortably with you. Whether backpacks, small cases, bigger bags or even trolleys they are all equipped with a cushioned notebook compartment to give perfect protection to your system.

Order Code:  
S26391-F1119-L134

**Prestige Case Midi**

Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap on the back side For Tablet PC and Notebooks up to 370 x 295 x 50 mm

Order Code:  
S26391-F1119-L60

**CELVIN® Drive D200**

The CELVIN® Drive D200 is a highly reliable external storage device with marvelous USB 3.0 speed for Plug & Play experience by simply connecting the device to a notebook or PC. Furthermore it is easy to set up and increase the home network capacity by attaching it to the USB port of dedicated routers or NAS devices.

Order Code:  
S26341-F103-L210

# More information

## Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK S781, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

### Computing Products

[www.fujitsu.com/global/services/computing/](http://www.fujitsu.com/global/services/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about Fujitsu LIFEBOOK S781, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
<http://ts.fujitsu.com/mobile>

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see [http://ts.fujitsu.com/terms\\_of\\_use.html](http://ts.fujitsu.com/terms_of_use.html)  
Copyright © Fujitsu Technology Solutions

## Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

## CONTACT

FUJITSU Technology Solutions  
Website: <http://ts.fujitsu.com>  
2011-12-31 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [http://ts.fujitsu.com/terms\\_of\\_use.html](http://ts.fujitsu.com/terms_of_use.html)  
Copyright © Fujitsu Technology Solutions